

YOU GOT THIS

TAKE ON CHRONIC MIGRAINE BY TALKING TO
YOUR HEADACHE SPECIALIST OR NEUROLOGIST



Sick of headaches and migraines? Say something today.

Try any of these conversation starters that best fit your situation:

- I'm not sure how Chronic Migraine is different from other headache and migraine conditions. What's the difference between episodic and Chronic Migraine?
- I've been having headaches and migraines, should I be tracking how often?
- I'm currently on treatment for my headaches and migraines. If I had 15 or more headache days a month before treatment, could I still have Chronic Migraine?
- What is the difference between an acute treatment and a preventive treatment, like BOTOX®?
- What makes BOTOX® for Chronic Migraine a different type of treatment from other headache and migraine treatments?
- What can you tell me about BOTOX® side effects?
- Do you have experience using BOTOX® for Chronic Migraine? (If your headache specialist does not have experience with BOTOX® for Chronic Migraine, find a BOTOX® specialist at [BOTOXChronicMigraine.com](https://www.BOTOXChronicMigraine.com))
- What kind of results could I expect with BOTOX®? How long before BOTOX® starts to work?
- What do the injections feel like? How many injections will I need in a single treatment? Also, how often would I need to receive BOTOX®, and how long does the procedure last?
- I'm wondering how much BOTOX® will cost. Does BOTOX® have a savings program to help with my out-of-pocket costs?

HOW ARE HEADACHES AND MIGRAINES AFFECTING YOUR LIFE?
TEXT TRACK TO 50334 TO FIND OUT*

*See Privacy & Terms & Conditions at <https://www.chronicmigrainesupport.com/>.
Msg & data rates may apply. Msg Freq May Vary. Text HELP for help, STOP to end.

Indication

BOTOX® is a prescription medicine that is injected to prevent headaches in adults with chronic migraine who have 15 or more days each month with headache lasting 4 or more hours each day in people 18 years or older.

It is not known whether BOTOX® is safe or effective to prevent headaches in patients with migraine who have 14 or fewer headache days each month (episodic migraine).

IMPORTANT SAFETY INFORMATION

BOTOX® may cause serious side effects that can be life threatening. Get medical help right away if you have any of these problems any time (hours to weeks) after injection of BOTOX®:

- **Problems swallowing, speaking, or breathing**, due to weakening of associated muscles, can be severe and result in loss of life. You are at the highest risk if these problems are pre-existing before injection. Swallowing problems may last for several months

Please see additional Important Safety Information and Summary of Information about BOTOX® on the following pages.


onabotulinumtoxinA injection

PROVEN FOR CHRONIC MIGRAINE — FOR ALMOST 10 YEARS —

#1 PRESCRIBED BRANDED CHRONIC MIGRAINE TREATMENT

FDA approved, 2010. Data on File, October 2010–April 2019.

- **BOTOX® prevents headaches and migraines before they even start.** On average 8 to 9 headache days and migraine/probable migraine days a month (vs 6 to 7 for placebo)
- You may feel **results as early as 4 weeks** (after treatment #1). Full effects of BOTOX® seen after 2 treatments, 12 weeks apart—at week 24
- One treatment session takes place in your doctor's office (**injections using a thin needle last about 15 minutes**) every 12 weeks
- Like all medicines, there's a risk of side effects with BOTOX®. Neck pain is the most common side effect with BOTOX®, experienced by 9% of BOTOX® patients vs 3% for placebo patients in Chronic Migraine clinical trials. **This does not cover all possible side effects of BOTOX®. Please see the Important Safety Information including Boxed Warning, and talk to your doctor**
- **You may pay as little as \$0** for BOTOX® treatment if you're eligible for the BOTOX® Savings Program.* Check eligibility at BOTOXsavingsprogram.com

*Restrictions and maximum savings limits apply. Offer not valid for patients enrolled in Medicare, Medicaid, or other federal or state healthcare programs. See full Terms and Conditions below and at BOTOXSavingsProgram.com.



3.3 MILLION
BOTOX® TREATMENTS

**GIVEN TO OVER 500,000 PEOPLE
WITH CHRONIC MIGRAINE.**

Since FDA approval in 2010.

BOTOX®
onabotulinumtoxinA injection

NOTES FROM YOUR DOCTOR VISIT

IMPORTANT SAFETY INFORMATION (continued)

- **Spread of toxin effects.** The effect of botulinum toxin may affect areas away from the injection site and cause serious symptoms including: loss of strength and all-over muscle weakness, double vision, blurred vision and drooping eyelids, hoarseness or change or loss of voice, trouble saying words clearly, loss of bladder control, trouble breathing, and trouble swallowing

Please see additional Important Safety Information and Summary of Information about BOTOX® on the following pages.

IMPORTANT SAFETY INFORMATION (continued)

There has not been a confirmed serious case of spread of toxin effect away from the injection site when BOTOX[®] has been used at the recommended dose to treat chronic migraine.

BOTOX[®] may cause loss of strength or general muscle weakness, vision problems, or dizziness within hours to weeks of taking BOTOX[®]. **If this happens, do not drive a car, operate machinery, or do other dangerous activities.**

Do not receive BOTOX[®] if you: are allergic to any of the ingredients in BOTOX[®] (see Medication Guide for ingredients); had an allergic reaction to any other botulinum toxin product such as *Myobloc*[®] (rimabotulinumtoxinB), *Dysport*[®] (abobotulinumtoxinA), or *Xeomin*[®] (incobotulinumtoxinA); have a skin infection at the planned injection site.

The dose of BOTOX[®] is not the same as, or comparable to, another botulinum toxin product.

Serious and/or immediate allergic reactions have been reported including itching, rash, red itchy welts, wheezing, asthma symptoms, or dizziness or feeling faint. Get medical help right away if you experience symptoms; further injection of BOTOX[®] should be discontinued.

Tell your doctor about all your muscle or nerve conditions such as ALS or Lou Gehrig's disease, myasthenia gravis, or Lambert-Eaton syndrome, as you may be at increased risk of serious side effects including difficulty swallowing and difficulty breathing from typical doses of BOTOX[®].

Tell your doctor about all your medical conditions, including if you: have or have had bleeding problems; have plans to have surgery; had surgery on your face; weakness of forehead muscles; trouble raising your eyebrows; drooping eyelids; any other abnormal facial change; are pregnant or plan to become pregnant (it is not known if BOTOX[®] can harm your unborn baby); are breastfeeding or plan to (it is not known if BOTOX[®] passes into breast milk).

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Using BOTOX[®] with certain other medicines may cause serious side effects. **Do not start any new medicines until you have told your doctor that you have received BOTOX[®] in the past.**

Tell your doctor if you received any other botulinum toxin product in the last 4 months; have received injections of botulinum toxin such as *Myobloc*[®], *Dysport*[®], or *Xeomin*[®] in the past (tell your doctor exactly which product you received); have recently received an antibiotic by injection; take muscle relaxants; take an allergy or cold medicine; take a sleep medicine; take aspirin-like products or blood thinners.

Other side effects of BOTOX[®] include: dry mouth, discomfort or pain at the injection site, tiredness, headache, neck pain, eye problems: double vision, blurred vision, decreased eyesight, drooping eyelids, swelling of your eyelids, dry eyes; and drooping eyebrows.

For more information refer to the [Medication Guide](#) or talk with your doctor.

You are encouraged to report negative side effects of prescription drugs to the FDA. [Visit www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088.

Please see accompanying Summary of Information about BOTOX[®].

Program Terms, Conditions, and Eligibility Criteria: **1.** This offer is good for use only with a valid prescription for BOTOX[®] (onabotulinumtoxinA). **2.** Based on insurance coverage, each patient can be reimbursed up to \$1000 per treatment with a maximum savings limit of \$4000 per year. Patient out-of-pocket expense may vary. **3.** This offer is not valid for use by patients enrolled in Medicare, Medicaid, or other federal or state programs (including any state pharmaceutical assistance programs), or private indemnity or HMO insurance plans that reimburse you for the entire cost of your prescription drugs. Patients may not use this offer if they are Medicare-eligible and enrolled in an employer-sponsored health plan or prescription drug benefit program for retirees. This offer is not valid for cash-paying patients. **4.** This offer is valid for up to 4 treatments over a 12-month period. **5.** Offer is valid only for BOTOX[®] and BOTOX[®] treatment-related costs not covered by insurance. **6.** A BOTOX[®] Savings Program check will be provided upon approval of a claim. The claim must be submitted with treatment details from an Explanation of Benefits (EOB) or a Specialty Pharmacy (SP) receipt. (If the BOTOX[®] prescription was filled by a Specialty Pharmacy, both EOB and SP details must be provided.) All claims must be submitted within 120 days of treatment date. You may be required to provide a copy of your EOB or SP receipt for your claim to be approved. **7.** A BOTOX[®] Savings Program check may be sent either directly to you or to your selected healthcare provider who provided treatment. For payment to be made directly to your healthcare provider, you must authorize an assignment of benefit during each claim submission. You are not obligated to assign your BOTOX[®] Savings Program benefit to your healthcare provider to participate in the program. **8.** Allergan[®] reserves the right to rescind, revoke, or amend this offer without notice. **9.** Offer good only in the USA, including Puerto Rico, at participating retail locations. **10.** Void where prohibited by law, taxed, or restricted. **11.** This offer is not health insurance. **12. By participating in the BOTOX[®] Savings Program, you acknowledge that you are an eligible patient and that you understand and agree to comply with the terms and conditions of this offer.**

For questions about this program, please call 1-800-44-BOTOX.



All trademarks are the property of their respective owners.
© 2020 Allergan. All rights reserved. BCM115761-v3 01/20



Summary of Information about BOTOX® (onabotulinumtoxinA)

What is the most important information I should know about BOTOX®?

BOTOX® may cause serious side effects that can be life threatening. Call your doctor or get medical help right away if you have any of these problems any time (hours to weeks) after injection of BOTOX®:

- **Problems swallowing, speaking, or breathing**, due to weakening of associated muscles, can be severe and result in loss of life. You are at the highest risk if these problems are pre-existing before injection. Swallowing problems may last for several months
- **Spread of toxin effects.** The effect of botulinum toxin may affect areas away from the injection site and cause serious symptoms including: loss of strength and all-over muscle weakness, double vision, blurred vision and drooping eyelids, hoarseness or change or loss of voice, trouble saying words clearly, loss of bladder control, trouble breathing, and trouble swallowing

There has not been a confirmed serious case of spread of toxin effect away from the injection site when BOTOX® has been used at the recommended dose to treat Chronic Migraine.

BOTOX® may cause loss of strength or general muscle weakness, vision problems, or dizziness within hours to weeks of taking BOTOX®. **If this happens, do not drive a car, operate machinery, or do other dangerous activities.**

BOTOX® dosing units are not the same as, or comparable to, any other botulinum toxin product.

What is BOTOX®?

BOTOX® is prescription medicine a medical professional injects into muscles to prevent headaches in adults with chronic migraine who have 15 or more days each month with headache lasting 4 or more hours each day in people 18 years and older.

It is not known whether BOTOX® is safe or effective to prevent headaches in people with migraine who have 14 or fewer headache days each month (episodic migraine).

Who should not receive BOTOX®?

Do not receive BOTOX® if you are: allergic to any of the ingredients in BOTOX® such as botulinum toxin type A and human serum albumin; had an allergic reaction to another botulinum toxin product such as Myobloc® (rimabotulinumtoxinB), Dysport® (abobotulinumtoxinA), or Xeomin® (incobotulinumtoxinA); or have a skin infection at the planned injection site.

What should I tell my doctor before treatment?

Tell your doctor about all your muscle or nerve conditions, such as amyotrophic lateral sclerosis (Lou Gehrig's disease), myasthenia gravis, or Lambert-Eaton syndrome, as you may be at increased risk of serious side effects.

Tell your doctor if you have or have had breathing problems such as asthma or emphysema; swallowing problems; bleeding issues; plan to or have had surgery; have forehead muscle weakness such as trouble raising your eyebrows; drooping eyelids; or any changes to your face.

Tell your doctor if you are pregnant, plan to become pregnant, are breastfeeding or plan to breast feed. It is not known if BOTOX® (onabotulinumtoxinA) can harm your unborn baby or if BOTOX® passes into breast milk.

What Are Common Side Effects?

The most common side effects include neck pain; headache; migraine; slight or partial facial paralysis; drooping eyebrows; eyelid drooping; bronchitis; musculoskeletal stiffness; muscular weakness; pain in 1 or more muscles, ligaments, tendons, or bones; muscle spasms; injection site pain; and high blood pressure. Other side effects have been reported including allergic reactions e.g. itching, rash, red itchy welts, wheezing, asthma symptoms, or dizziness or feeling faint.

These are not all of the possible side effects. Call your doctor for medical advice if you experience any side effects after treatment with BOTOX®.

What Should I Tell My Doctor About Medicines and Vitamins I Take?

Using BOTOX® with certain other medicines may cause serious side effects. **Do not start any new medicines until you have told your doctor that you have received BOTOX® in the past.** Tell your doctor if you have received an injection with another botulinum toxin product in the last 4 months, such as Myobloc®, Dysport®, or Xeomin®. Be sure your doctor knows which product you received.

Tell your doctor about all prescription and over-the-counter medicines, vitamins and herbal supplements you take; recent antibiotic injections; anticholinergics; muscle relaxants; allergy or cold medicine; sleep medicine; aspirin-like products; and blood thinners. **Ask your doctor if you are not sure whether your medicine is listed above.**

To Learn More

If you would like more information, talk to your doctor and/or go to BotoxChronicMigraine.com for full Product Information.

You may report side effects to the FDA at www.fda.gov/medwatch or call 1-800-FDA-1088.

Based on v2.0MG1145 Rev. 06/2019

BCM69906-v3 10/19

All trademarks are the property of their respective owners. ©2019 Allergan. All rights reserved. ® marks owned by Allergan, Inc.

Patented. See: www.allergan.com/products/patent_notices

Myobloc® is a registered trademark of Solstice Neurosciences, Inc.

Dysport® is a registered trademark of Ipsen Biopharm Limited Company.

Xeomin® is a registered trademark of Merz Pharma GmbH & Co KGaA

